



terry@dedocanada.com

www.dedocanada.com

647-834-1824

Dedolight LED List Prices January 2018

Code	Description	CDN SELL (\$)
LEDZILLA SERIES		
DLOBML2	Ledzilla Daylight LED light head	590.44
DLOBML-Bi	Ledzilla Bi-colour LED light head	819.39
DLOBML-BIWA	Ledzilla Bi-colour LED w 16x9 filter; only 2 barn door leaves	819.39
DLOBML-IR860	IREdzilla infrared LED; 860nm for camera w night-shot mode	1,210.05
DLOBML-IR960	IREdzilla infrared LED; 960nm for surveillance cameras	1,210.05
DLOBML-UV365	Floureszilla UV 365 nm wavelength "Black Light" slight UV-A radiation	1,342.28
DLOBML-UV400	Floureszilla UV 400 nm wavelength "Black Light" slight UV-A radiation	1,276.17
DLOBML-DMX	DMX Controlled Ledzilla – Special order; call for pricing	POR
DLOBML-P	Soft Pouch for DLOBML	50.00
Ledzilla Power Supplies/ Battery Adapters		
DLOBML-BC	Battery Shoe – Canon 7.2 V BP-9	156.48
DLOBML-BC2	Battery Shoe – Canon 7.2V BJP 808; 809; 819	111.90
DLOBML-BP	Battery Shoe - Panasonic 7.2V CGA	157.36
DLOBML-BP2	Battery Shoe – Panasonic VBG6	111.90
DLOBML-BP3	Battery Shoe – Panasonic VW-VBG 070/130/260 \$ CGA-DU 07/14/21	111.90
DLOBML-BP4	Battery Shoe – Panasonic VW-VDB 58 battery	111.90
DLOBML-BS	Battery Shoe Sony NP-F / Panasonic VW-VBD 1	40.87
BLOBML-BSU	Battery Shoe – Sony 12 v BP-U	111.90
BLOBML-BSV	Battery Shoe – Sony NP-FV 7.2 volt battery	124.14
DLOBML-PBC1	Battery Shoe – Canon LP-E6	124.14
DLOBML-PBN1	Battery Shoe – Nikon EN-EL3E	124.14
DLOBML-PBN2	Battery Shoe – Nikon EN-EL15	124.14
DLOBML-PBP1	Battery Shoe – Panasonic DMW-BLF19E	128.51
DLBF-8AA	External battery holder – 8AA cells	75.18
DLPS-12	12 volt Power supply 100-220 VAC	44.58
Cables		
DDCC-DTAPL	DC cable with jack Ø5,5 mm/2,5 mm, 55 cm / 22" with Anton/Bauer D-TAP connector (old code: DLOBML-AB-L)	38.47
DDCC-DTAPS	DC cable with jack Ø5,5 mm/2,5 mm, 28 cm / 11" with Anton/Bauer D-TAP connector (old code: DLOBML-AB-S)	35.72
DDCC-CAR	DC cable with jack Ø5,5 mm/2,5 mm, 1.8 m; 6' with cigarette light connector (old code: DLOBML-CAR)	46.16
DDCC-PAG	DC cable with jack Ø5,5 mm/2,5 mm, 55cm / 22" for PAG Batteries (old code: DLOBML-PAG)	42.31
DDCC-SWIT	DC cable with jack Ø5,5 mm/2,5 mm, 55cm / 22" for SWIT Batteries (old code: DLOBML-SWIT)	42.31
DDCC-XLR	DC cable with jack Ø5,5 mm/2,5 mm, 65cm -1.3 m / 25 – 51" XLR connector, coiled cable (old code: DLOBML-XLR)	69.24
Hardware		

DLGA200	Articulating arm 200mm 1/4 male to camera	118.89
DLGA300	Articulating arm 300mm 1/4 male to camera	149.49
DLBRS	Rail with 1/4 screw for camera to Ledzilla	82.18
DLBRHS	Rail with 1/4 screw/Camera w. Handgrip to Ledzilla	93.54
DV3GA	Suction Mount w. Articulating arm	266.63
DLBSA-3S	Triple Show w. Tilt lock	38.47
DLBSA-HAND	Female shoe with handle	52.45
DLBSA-TS	Table Stand w. Shoe for Ledzilla	12.24
DLBSA-3S	Triple Show w. Tilt lock	38.47
DLBSA-MBS	Ball joint with 16mm stud to use with DLED2Y light heads	55.95
DLBSA-S	Female shoe to 1/4 Male	21.86
DLBSA-T	Female shoe to 1/4 Female	21.86
DLBSA-M	1/4 Male to Mini shoe Sony Mini camera (w DLBSA-T)	6.12
DLBSA-U	Square Top fits DLOBML to female shoe	32.35
DLBSA-MBJ	Metal ball joint w 1/4" screw: lighthouse to camera mount	36.72
DLA-ML	Square Top fits DLOBML to 16mm-5/8" Stud	42.84
DLSA	Stand Adapter	18.36

Ledzilla Accessories

DLOBML-BD8	Optical front attachment w accessory latch & rotatable 8 leaf barn door	120.20
DLOBML-LT20	Ledzilla Soft Tube – 20 cm	289.45
DLOBML-SBX12	Ledzilla Soft Box – 12cm	164.44
DLOBML-SBX12-CTO	Colour correction diffuser – SMX12	12.50
DLOBML-SBX12-WD	Ledzilla white front diffuser	12.50
DLOBML-TCF	Ledzilla tungsten conversion filter; fits into gel slot	12.50
DLOBML-WD15	Ledzilla White Dome – 15 cm	201.94
DLOBML-BSF	Ledzilla beam spreader filter	26.38

DLED – Series 2

DLPS12-30	AC Power Supply DLED2, 12 v, 30 watts	101.93
DLPS12-60	AC Power Supply for DLED3	135.59
DLPS12-185	12 v Power supply; 185 w; 30 cm cable w XLR3 connector; requires mains cable DCAB3A-U	509.66
DDCC-EXT5	DC cable with jack Ø5,5 mm/2,5 mm, 500 cm extension cable for DLPS12-30; DLPS12-60;	37.50
DLPS-24	AC power supply (100 - 240 V) w 24 V DC output, 18W,	89.43
DLED2-D	Focusing 20w LED Daylight w. 16 mm (5/8") receptacle & built in Electronics	1,061.64
DLED2-Bi	Focusing 20w LED Bi-colour w. 16 mm (5/8") receptacle & built in Electronics	1,200.12
DLED2HSM-D	focusing 20w LED Daylight w. Hot shoe mount & built in Electronics	1,078.95
DLED2HSM-Bi	Focusing 20w LED Bi-colour w. Hot shoe mount & built in Electronics	1,215.50
DLED2-BC2	7.2 Volt Canon Battery Shoe – BP 808; 809; 819	125.01
DLED2-BP	Battery holder Panasonic CGA for DLED2 w. Built in Electronics (DLB-NPF950 recommended)	173.09
DLED2-BS	Battery holder SONY NP-F for DLED2 w. Built in Electronics (DLB-NPF950 recommended)	35.58
DLED2-BSU	Battery holder SONY BP-U for DLED2 w. Built in Electronics	141.36
DLED2Y-D	Focusing 20w LED Daylight w. Yoke & 16 mm (5/8") receptacle: Separate DT2-Bat electronics required	882.78
DLED2Y-Bi	Focusing 20w LED Bi-colour w. Yoke & 16 mm (5/8") receptacle: Separate DT2-Bi-Bat electronics required	907.78
DLED2Y-IR860	DLED2 special LED light head with yoke - infrared 860 nm for cameras with night-shot mode. Requires DT2-BAT-IR ballast.	882.78

DLED2Y-IR960	DLED2 special LED light head with yoke - infrared 960 nm for surveillance cameras. Requires DT2-BAT-IR ballast.	882.78
DLED2YHSM-D	Focusing 20w LED Daylight w. Yoke & hot shoe mount. Separate DT2-Bat required	900.09
DLED2YHSM-Bi	Focusing 20w LED Bi-colour w. Yoke & hot shoe mount. Separate DT2-Bat required	925.09
DT2-BAT	DC Electronics – Daylight; to use with 12 or 24 volt batteries. Ledzilla style power cable required	317.34
DT2-BAT-IR	DC Electronics – Infrared; to use with 12 or 24 volt batteries. Ledzilla style power cable required	317.34
DT2-BI-BAT	DC Electronics – Bi-colour; to use with 12 or 24 volt batteries. Ledzilla style power cable required	457.74
DT2-Bi-BAT-DMX	DC Electronics – Bi-colour; to use with 12 or 24 volt batteries. DMX Colour control Ledzilla style power cable required	619.29
DLED2POW0.55	DT2-BAT/DT2 Bi-Bat cable to light head; 55cm	76.93
DLED2POW1.4	DT2-BAT/DT2 Bi-Bat cable to light head; 140cm	82.70
DLED2POW3	DT2-BAT/DT2 Bi-Bat cable to light head; 300cm	93.28

DLED2 Imagers & Accessories

DBDS	DLED2 & DLED3 –Rotatable 8 leaf barn door	205.79
DBDS8	DLED2 & DLED3 Standard 8 leaf barn door	69.24
DLSR60	Speedring for DLED2 Soft Box	54.81
DLED2-SBX	Soft box for DLED2	79.82
DP1S	DLED2 & DLED3 Imager w. 60Mm lens & Gobo holder	413.50
DP1S-0	DLED2 & DLED3 Imager & gobo holder without lens	248.10
DP1S-A	Asymmetric projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Incl. DPL60M lens.	850.08
DP1S-A0	Asymmetric universal projection attachment/imager for DLED2 and DLED3 LED light heads. Order lens separately DPLS30M; 50M; 60M; 85M	684.68
DP2S	Projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Incl. DPL60M lens.	432.73
DP2S-0	Projection attachment w built in framing shutters /imager for DLED2 and DLED3 LED light heads. Order lens separately DPLS30M; 50M; 60M; 85M	267.33
DP2S-A	Asymmetric projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Incl. DPL60M lens.	850.08
DP2S-A0	Asymmetric projection attachment with built-in framing shutter blades for DLED2 and DLED3 LED light heads. Incl. Order lens separately DPLS30M; 50M; 60M; 85M	684.68
DPGSETS	Gobo set for DP1S – special size	278.87
DPGHS	Gobo holder for DP1S imager	73.08
DPIRS	DP1S Iris	206.75
DLBSA-JSF	16mm receptacle (Female) to hot shoe mount adaptor (female). Fit DLED2HSM & DLED2YHSM light heads	33.66
DGRADFS03	Dichroic graduated ND grey glass filter: minus one stop (DLED2/DLED3 Series)	109.63
DGRADFS06	Dichroic graduated ND grey glass filter: minus two stops (DLED2/DLED3 Series)	113.47
DGRADFS09	Dichroic graduated ND grey glass filter: minus three stops (DLED2/DLED3 Series)	117.32
DGRADFS12	Dichroic graduated ND grey glass filter: minus four stops (DLED2/DLED3 Series)	121.17
DWAFXS	Directional beam spreader – DLED2/DLED3	74.05

DLED3 Turbo (Active Cooling)

DLED3-Bi	DLED3 40 watt focusing LED - Bi-Colour	1,475.14
DLED3-D	DLED3 40 watt focusing LED – Daylight	1,215.50
DLED3-T	DLED3 40 watt focusing LED - Tungsten	1,215.50

DLED3HSM-Bi	DLED3 40 watt focusing LED – Bi-Colour, Hot Shoe Mount	1,492.45
DLED3HSM-D	DLED3 40 watt focusing LED – Daylight, Hot Shoe Mount	1,232.81
DLED3HSM-T	DLED3 40 watt focusing LED – Tungsten, Hot Shoe Mount	1,232.81
DT3-BI-BAT *	DLED3 DC Power supply/dimmer – Bi-Colour	740.46
DT3-BAT *	DLED3 DC Power supply/dimmer – Tungsten or Daylight	475.05
DLPS12-185	Power supply (100 - 240 V AC) with 12 V DC output, 185 watts; 30cm DC cable w XLR3; requires DCAB3A-SW-U cable	509.66

*** Requires DDCC cable with a DC power solution or DLPS-12-60 AC power supply. See DLED Series 4 for DDCC cable prices.**
NOTE: DLED2 Imagers & accessories are compatible with DLED3 fixtures.

DLED- Series 4		
DLED4-Bi	Focusing LED Light Head – Bi-colour Mobile	1,394.37
DLED4-D	Focusing LED Light head – Daylight Mobile	852.01
DLED4-T	Focusing LED Light Head – Tungsten Mobile	932.78
DLED4-IR860	Focusing LED Light Head – Ifrared 860 nm	1,221.27
DLED4-UV365	DLED4 special LED light head - UV 365 nm wavelength technology, "black-light" - slightly UV-A radiation	1,969.42
DLED4-UV400	DLED4 special LED light head - UV 400 nm wavelength technology, "black-light" - slightly UV-A radiation	1,596.31
DT4-U	AC Power Supply – daylight/Tungsten	553.90
DT4-BAT	DC dimmable ballast to use with 12 & 24 v batteries (10.2-18V DC); DDCC Cable or DLPS12-60 required	430.81
DT4-Bi-U	AC Power supply – Bi-colour	746.23
DT4-BI-BAT	DC dimmable ballast to use with 12 & 24 v batteries (10.2-18V DC); DDCC Cable or DLPS12-60 required	657.76
DT4-Bi-DMX-U	AC Power supply – Bi-colour – DMX	877.01
DT4-DMX16-U	AC Power supply – daylight/tungsten DMX	675.07
DT4-DMX-U	AC Power supply – daylight/tungsten DMX	790.46
DT4-UV365-U	AC Power supply – DLED4-365; u-ground	367.34
DTHC	Power supply holder w. Clamp-C; fits DT4 (BI), DT4 (BI)BAT, DT9 (BI), DT9 (BI) BAT DLDIM2000, DLDIM2000-DMX; Max clamp opening 25.4mm (1")	130.59
DTHD	Power supply holder w. Clamp-D; fits DT4 (BI), DT4 (BI)BAT, DT9 (BI), DT9 (BI) BAT DLDIM2000, DLDIM2000-DMX; Max clamp opening 50 mm (2")	109.43
DLBCA2-AB	Belt clip adapter AB mount w. Holding plate for DT-BAT Power Supplies	153.86
DLBCA2-NPF	Belt clip adapter 7.2 v NPF Mount w holding plate for DT2 & DT2-BI power supplies	115.40
DLVCA2-V	Belt clip adapter V-lock mount w. Holding plate for DT-BAT Power Supplies	171.17
DLBCA-AB	Belt clip adaptor with AB-mount bracket. D-TAP out socket	121.17
DLBCA-NPF	Belt clip adaptor for 7.2 v NPF batteries	88.47
DLBCA-V	Belt clip adaptor with Sony V-mount bracket. D-TAP out socket	136.55
DLBF-8AA	External battery box for 8 AA batteries 1.5 V with 12 V DC output	82.70
Cables		
DDCC-DTAPL	DC cable with jack Ø5,5 mm/2,5 mm, 55 cm / 22" with Anton/Bauer D-TAP connector (old code: DLOBML-AB-L)	38.47
DDCC-DTAPS	DC cable with jack Ø5,5 mm/2,5 mm, 28 cm / 11" with Anton/Bauer D-TAP connector (old code: DLOBML-AB-S)	35.72
DDCC-CAR	DC cable with jack Ø5,5 mm/2,5 mm, 1.8 m; 6' with cigarette light connector (old code: DLOBML-CAR)	46.16
DDCC-PAG	DC cable with jack Ø5,5 mm/2,5 mm, 55cm / 22" for PAG Batteries (old code: DLOBML-PAG)	42.31

DDCC-SWIT	DC cable with jack Ø5,5 mm/2,5 mm, 55cm / 22" for SWIT Batteries (old code: DLOBML-SWIT)	42.31
DDCC-XLR	DC cable with jack Ø5,5 mm/2,5 mm, 65cm -1.3 m / 25 – 51" XLR connector, coiled cable (old code: DLOBML-XLR)	69.24
DPOW5XLR-10	10m extension cable foe DLED4 & DLED9 light heads. (Do not use standard thin DMX cable – to much current.)	153.86
DPOW5XLR-3	3m extension cable foe DLED4 & DLED9 light heads. (Do not use standard thin DMX cable – to much current.)	105.78

DLED Series 7 (Active Cooling)

DLED7-Bi	Focusing LED Light head – Bi-colour Mobile	1,954.04
DLED7-D	Focusing LED Light head – Daylight Mobile	1,159.73
DLED7-T	Focusing LED Light Head – Tungsten Mobile	1,159.73
DT7-BAT-AB	DLED7 DC Power supply – Anton Bauer P-Tap connector	576.98
DT7-Bi-BAT-AB	DLED7-Bi DC Power supply – Anton Bauer P-Tap connector	846.24
DT7-Bi-DMX-U	DLED7-Bi AC Power supply – Bi-colour; DMX	973.17
DT7-Bi-U	DLED7-Bi AC Power supply – Bi-colour	811.62
DT7-DMX-U	DLED7 AC Power Supply – daylight/Tungsten; DMX	892.39
DT7-U	DLED7 AC Power Supply – daylight/Tungsten	648.14
DDTAP-CAR	D-TAP cable, 1.8 m (6') with cigarette light connector (for DT7/9-(BI-)BAT-AB power supplies)	46.16
DDTAP-EXT5	D-TAP power extension cable (AWG16 / 1,5m2) for DLPS36-100 power supply. D-TAP connectors on both ends (male / female) (for DT7/9-(BI-)BAT-AB power supplies)	55.77
DDTAP-XLR	D-TAP cable 65 cm - 1.30 m / 25 - 51" with 4-pin XLR connector, coiled. (for DT7/9-(BI-)BAT-AB power supplies)	69.24
DLPS36-100-U	AC Power Supply w female D-Tap connector; 36 volts/100watts; 2.8A for DT7/9(BI) Bat-AB Ballasts; 100-240V AC, U-ground	203.87

Note: Classic series Imaging and accessories are compatible with DLED4 & DLED7

Accessories

DLWAR	Wide angle attachment w. Rotating doors	378.88
DBD8	Standard barn door (eight leaves)	73.08
DBD2	Super barn door (twelve leaves)	151.94
DBD3	Barn door (8 leaves) w reflex reducing structure	121.17
DPLS	Light shield ring	11.54
DFH	Gel filter holder	24.04
DPBA-BI7	Fits: DLED4-BI, DLED7-BI	482.74
DPBA-L7	Fits: DLED4-D, DLED4-T, DLED7-D, DLED7-T	411.58
DSCFS	Full scrim, single (3/4 stops)	19.23
DSCFD	Full scrim, double (~1.2 stops)	19.23
DSCS1/2	Half scrim, single	19.23
DSCD1/2	Half scrim, double	19.23
DSCG	Graduated scrim	28.85
DSCK	Scrim kit (includes all Classic Series scrims above)	105.78
DSCP	Scrim pouch	38.47
DPACP	Accessory pouch	46.16
DSCGP	Gobo/scrim/gel pouch	48.08
DGRADF03	Dichroic graduated ND gray glass filter (one stop)	119.24
DGRADF06	Dichroic graduated ND gray glass filter (two stops)	123.09
DGRADF09	Dichroic graduated ND gray glass filter (three stops)	126.94
DGRADF12	Dichroic graduated ND gray glass filter (four stops)	130.78

DHF	Heat filter	116.36
DWAFX	Directional Beam Spreader filter	74.05

Imager

DP1.1	Imager projection attachment	453.89
DP1.1-0	Imager projection attachment w/o lens	319.26
DP2.1	Imager projection attachment w/ built in shutters	475.05
DP2.1-0	Same as DP2 but w/o lens	338.49
DP3.1	Imager slide and steel gobo projection attachment	1,065.49
DP3.1-0	Same as DP3 but w/o lens	930.86
DLPS-24	DP3.1 AC Power supply; 24 volts	89.43
DPL30M	Imager lens, 30mm, f 1.8	413.50
DPL50M	Imager lens, 50mm, f 2.8	342.34
DPL60M	Imager lens, 60mm, f 2.4	167.32
DPL85M	Imager lens, 85mm, f 2.8	136.55
DPL150.1M	Imager lens, 150mm; f 2.2	480.82
DPL185M	Imager lens, 185mm, f 3.5	390.42
DPLZ120M	Imager zoom lens, 70-120mm, f 3.5	365.42
DPLZ150M	Imager zoom lens, 85-150mm, f 3.5	365.42
DPX	Imager extension tube	51.93

Imager accessories/gobos

DPFS	Imager framing shutter blade set	34.62
DPIR	Imager Iris	226.95
DPIR-A	Imager animation iris	266.37
DPGH	Steel gobo holder (size 'M')	17.31
DPGGH	Glass gobo holder (size 'M')	19.23
DPSH	Slide holder (use only with DFH heat filter)	46.16
DPACP	Imager accessory pouch (gobos, scrims etc.)	46.16
DPGSET	Gobo set (six popular steel gobos, size 'M')	298.79
DFX	Effect filter size 'M' for DP1.1 imager projection attachment 11 textures (T1 - T11) and 8 different colors (P-purple / O-orange / R-red / M-magenta / Y-yellow / T-turquoise / LG-light green), LB-light blue (price different) Sample: DFXT9-M = Texture #9 in magenta. DFXH – Effect filter holder sold separately	100.01
DFX-LB	Effect filter size "M: - light blue; any texture	117.32
DFXH	Glass gobo holder (size 'M')	42.31
DFXSET	3 Glass structure filters w holder & pouch; DFXT6-R; DFXT10-LB; DFXT11-P	490.43

Eyeset

DPEYESET	Eyeset filter attachment w 3 soft edge filters	107.70
DPEYEP	Eyeset pouch	46.16

Soft Boxes

DLSR70	Speed ring for Dedoflex mini soft box	45.46
DSBSXS	Dedoflex mini soft box, silver	152.11
DSBSS	Dedoflex silver dome, small	257.02
DSBWS	Dedoflex white dome, small	258.77
DSBSM	Dedoflex silver dome, medium	374.16

DSBWM	Dedoflex white dome, medium	346.19
DLGRIDXS	Grid, fits mini soft box	111.90
DLGRIDS	Grid, fits small Silver Dome	187.08
DLGRIDM	Grid, fits medium Silver Dome	312.97

Efect

DLFA	Flexible arm w magnet/16mm stud	89.17
DEFR-MS1	Efect reflector multi mirror silver 1; 20 cm x 20 cm (7.9 x 7.9")	92.32
DEFR-MG1	Efect reflector multi mirror gold 1; 20 cm x 20 cm (7.9 x 7.9")	92.32
DEFR-MB1	Efect reflector multi mirror blue 1; 20 cm x 20 cm (7.9 x 7.9")	92.32
DEFR-M1	Efect reflector mirror silver 1; 20 cm x 20 cm (7.9 x 7.9")	80.78
DEFP	Efect transport pouch	63.47
DGF-BP	Gel filter blue/purple w holder	42.31
DGF-BR	Gel filter blue/red w holder	42.31
DGF-OT	Gel filter orange/turquoise w holder	42.31
DGF-TO	Gel filter turquoise/blue w holder	42.31
DGF-YM	Gel filter yellow/magenta w holder	42.31

Mounting Hardware

DST	Dedolight stand	125.01
SDST4	4 x DST stands in soft case	597.81
DST400	Stacable stand	289.29
DST400S	Stackable stand – small fits in SPA5DTT Kit	208.35
DSTM	Dedolight stand – micro	158.67
SDSTM3	extensions. This stand kit completes all the SLEDM-Kits.	727.63
CHICL	Universal heavy duty clamp, 37,5 cm (14.8") length	87.92
CHICS	Universal heavy duty clamp, 18 cm (7.1") length	76.93
CLAMP1	Dedolight clamp	62.51
CLAMP-C	Clamp w/ 1/4" internal thread and hex. receptacle	84.94
CLAMP-D	CLAMP - not yet available	65.71
CLAMP-S	Scissor clamp w long 16mm (5/8") stud	25.64
DSTFX	Flexible stand extension (510 mm)	90.55
DSTFX40	Flexibile stand extension (40cm)	83.34
DSTFXS	Flexible stand extension (210 mm)	51.29
DH2	Dedolight holder	72.12
DV3GA	3" Suction Mount w. Articulating arm	244.41
DV6B	6" vacuum mount w. Spigot	178.70
DLA-LB	Large bone, 2 x female shoe and 3 x 1/4" recepticals, mounts to camera with 1/4" screw	90.55
DTHC	Power supply holder w. Clamp-C; fits DT4 (BI), DT4 (BI)BAT, DT9 (BI), DT9 (BI) BAT DLDIM2000, DLDIM2000-DMX; Max clamp opening 25.4mm (1")	117.80
DTHD	Power supply holder w. Clamp-D; fits DT4 (BI), DT4 (BI)BAT, DT9 (BI), DT9 (BI) BAT DLDIM2000, DLDIM2000-DMX; Max clamp opening 50 mm (2")	98.57
DTSH	Power supply stand adaptor	34.46
DLHAND	Dedolight handle	51.29
STUDL	Stud, 16mm (5/8") w/ 1/4" internal thread	14.42
STUDS	Stud, 16mm (5/8") w/ 1/4" internal thread	14.42
STUD6L	Babystud 16mm (5/8") w/ hex. rod (150 mm length)	8.81
STUD6M	Babystud 16mm (5/8") w/ hex. rod (110 mm length)	17.63
STUD6S	Babystud 16mm (5/8") w/ hex. rod (65 mm length)	19.23

STUDL90	Babystud angle attachment, 16mm (5/8") w/ hex. Rod	24.04
---------	--	-------

Diffusers/reflectors		
DF5IN1-106	dedoflex disc 5in1, diameter 106 cm (42"), translucent diffuser disc with white, softgold, gold and silver reflective cover	214.76
DF5IN1-56	dedoflex disc 5in1, diameter 56 cm (22"), translucent diffuser disc with white, softgold, gold and silver reflective cover	108.98
DF5IN1-81	dedoflex disc 5in1, diameter 81 cm (32"), translucent diffuser disc with white, softgold, gold and silver reflective cover	165.88
DFGW106	Dedoflex gold/white reflector, 106 cm (42")	160.27
DFGW30	Dedoflex gold/white reflector, 30 cm (12")	36.86
DFGW81	Dedoflex gold/white reflector, 81 cm (32")	128.22
DFSW106	Dedoflex silver/white reflector, 106 cm (42")	144.24
DFSW30	Dedoflex silver/white reflector, 30 cm (12")	36.86
DFSW81	Dedoflex silver/white reflector, 81 cm (32")	116.20
DFT106	Dedoflex translucent reflector , 106 cm	115.40
DFT30	Dedoflex translucent diffuser, 30cm	36.86
DFT81	Dedoflex translucent reflector , 81 cm	88.95
DLTCH	Dedoflex holder compact	154.66
DLTFH	Dedoflex holder small	80.94
DLTLH	Dedoflex holder large	173.09
DSBSMD1	Front Diffuser Medium Dome	28.05
DSMSMD2	Inner Diffuser Medium Dome	20.84
DSBSM-FD-CTB 1/2	Front Diffuser Silverdome Medium 1/2 Blue	45.68
DSBSM-ID-CTB 1/2	Internal Diffuser Silverdome Medium 1/2 blue	50.49
DSBSSD1	Front Diffuser Small Dome	22.44
DSBSS-FD-CTB	Front Diffuser Silverdome Small – Full blue	32.05
DSBSS-FD-CTB 1/2	Front Diffuser Silverdome Small – 1/2 blue	32.05
DSBSXSD1	Front Diffuser Mini Soft Box	17.63
DSBSXSD2	Inner Diffuser Mini Soft Box	20.84
DSBSXS-FD-CTB	Front Diffuser Silverdome XS – full blue	40.07
DSBSXS-FD-CTB 1/2	Front Diffuser Silverdome XS – 1/2 blue	40.07
DSBSXS-ID-CTB 1/2	Internal Diffuser Silverdome XS – 1/2 blue	26.44

Filters		
DGB*	Gel filter set, full blue (fits classic filter holder)	13.62
DGB8	Gel filter set, full blue (fits new classic barn door)	20.84
DGCOL	Gel filter set, color effect (fits classic filter holder)	32.86
DGCOL8	Gel filter set, color effect (fits new classic barn door)	107.38
DGMB*	Gel filter set, mixed blue (fits classic filter holder)	20.84
DGMB8	Gel filter set, mixed blue (fits new classic barn door)	43.27
DGMD	Gel filter set, mixed diffusion (fits classic filter holder)	20.03
DGMD8	Gel filter set, mixed diffusion (fits new classic barn door)	46.48
DGMO8	Gel filter set, mixed orange (fits classic barn door)	44.07
DGND*	Gel filter set, neutral density (fits classic filter holder)	13.62
DGND8	Gel filter set, neutral density (fits new classic barn door)	32.86
DGW	Gel filter set, warm tone (fits classic filter holder)	24.04
DGW8	Gel filter set, warm tone (fits new classic barn door)	75.33
DFCOL2	Dichroic glass colour effect filter (specify colour)	89.75

* not recommended for 150 W lamps

DCF	Daylight conversion filter	126.94
DDCF	Dichroic daylight conversion filter (classic series)	105.78
DTCF	Dichroic tungsten conversion filter (classic Series)	151.94

DLED – Series 9

DLED9-D	Focusing LED Light Head – Daylight	1,411.68
DLED9-T	Focusing LED Light Head – Tungsten	1,411.68
DLED9-BI	Focusing LED Light Head – Bi-colour	2,315.61
DBD400	Barn door (Series 400)	190.02
DPLS400	Light shield ring (Series 400)	34.71
DT9-U	Power Supply DLED9.1 Daylight /Tungsten	636.60
DT9-BAT-AB	Power supply – 12 volt version P-tap	519.28
DT9-BAT-XLR	Power supply – 12 volt version – XLR	557.75
DT9-Bi-U	Power Supply DLED9.1 Bi-colour	807.77
DT9-Bi-BAT-AB	Power supply – 12 volt version P-tap	869.32
DT9-Bi-BAT-XLR	Power supply – 12 volt version – XLR	557.75
DT9-DMX16-U	Power Supply DLED9.1 D//T – DMX	946.25
DT9-DMX-U	Power Supply DLED9.1 D//T – DMX	855.85
DT9-Bi-DMX-U	Power Supply DLED9.1 Bi-colour– DMX	938.55
DPOW5XLR-10	10m extension cable foe DLED4 & DLED9 light heads. (Do not use standard thin DMX cable – to much current.)	153.86
DPOW5XLR-3	3m extension cable foe DLED4 & DLED9 light heads. (Do not use standard thin DMX cable – to much current.)	105.78
DLBAT2AB	DC Adapter for using 2x Anton/Bauer-Mount batteries (serial circuit). Power output regulated to 28V DC, 3-pin XLR socket. 3-pin cable to electronics required (DPOW200DT-BAT or DT9-(BI-)BAT-XLR incl. DC electronics)	
DLBAT2V	DC Adapter for using 2x V-Mount batteries (serial circuit). Power output regulated to 28V DC, 3-pin XLR socket. 3-pin cable to electronics required (DPOW200DT-BAT or DT9-(BI-)BAT-XLR incl. DC electronics)	

Note: Series 400 Imager & Accessories are compatible with DLED9

Series 400 Accessories

DBD400	Barn door (Series 400)	200.02
DGRADF400-03	Dichroic graduated ND gray glass filter (one stop)	185.33
DGRADF400-06	Dichroic graduated ND gray glass filter (two stops)	193.20
DGRADF400-09	Dichroic graduated ND gray glass filter (three stops)	201.07
DGRADF400-12	Dichroic graduated ND gray glass filter (Four stops)	208.06
DPLS400	Light shield ring (Series 400)	33.22
DLSR8	Series 400 Speed ring – Dedoflex or Panaura	108.40
DDCF400	Dichroic daylight conversion filter (series 400)	230.79
DTCF400	Dichroic tungsten conversion filter (series 400)	285.87
DLWA400R	Wide angle attachment w. Rotating barn doors	535.02
DSCFS400	Full scrim, single	41.96
DSCFD400	Full scrim, double	41.96
DSCS1/2-400	Half scrim, single	38.47
DSCD1/2-400	Half scrim, double	38.47
DSCG400	Graduated scrim	41.96

DCK400	Scrim kit (contains all Series 400 scrims)	202.82
DPACP400	Pouch for Series 400 gobos/iris/framing shutter blades	41.96
DSCP400	Scrim/filter holder pouch	34.97
DSCGP400	Scrim/filter holder/gel pouch	43.71
DST400	Dedolight stackable stand	315.59
DST400S	Dedolight stackable stand, small Fits in DSCPA5 soft case.	227.29
DPBA-14	Parallel Beam Adapter – Series 400 & DLED9	903.93
DPBA-14HON	DPBA14 Honeycomb	278.87
DWAFX400	Directional beam spreader – 400 series	101.93

Series 400 Imager

DP400KU	Imager projection attachment, universal	1,541.86
DP400KU-WA	Imager wide-angle projection attachment, complete with universal receptacle assembly and 100mm lens	2,764.01
DP400KFS	Imager projection attachment, framing shutter, 185mm lens	1,223.02
DP400KFS-WA	Imager wide-angle projection attachment, complete with framing shutter assembly and 100mm lens	2,445.17
DP400CON	Series 400 Imager condenser: 100, 150, 185, 230 mm lens	435.36
DP400CON-WA	Wide angle condenser for use w/ lens 70, 100, 150 mm lens	800.78
DP400U	Universal receptacle	134.63
DP400LH	Projection lens holder	102.28
DP400-70	Imager projection lens, 70 mm, f 1.5	1,540.36
DP400-100	Imager projection lens, 100mm, f 1.6	1,316.56
DP400-150	Imager projection lens, 150 mm, f 2.2	459.83
DP400-185	Imager projection lens, 185mm, f 3.5 fits eyeset	459.83
DP400-230	Imager projection lens, 230mm, f 2.0	2,036.91
DP400FS	Framing shutter assembly	225.55
DP400SHA	Slide holder attachment w/ adjustable image plane	702.87
DLPS-24	DP400SHA AC Power supply; 24 volts	81.30
DP4002GR-U	Gobo rotator for two steel "A" size gobos	772.80
KDP400KU	Imager projection attachment kit (universal), hard case	2305.92
KDP400KFS	Imager projection attachment kit (framing shutter), hard case	1987.08

400 Imager Accesories & Gobos

DP400LFS	Framing shutter set	68.19
DP400IR	Iris	670.52
DP400GH	Gobo holder, for size 'A' steel gobos	138.13
DP400GGH	Gobo holder, for size 'A' glass gobos	138.13
DPEYESET	Eye filter attachment (fits DP400-185 only)	97.91
DPEYEP	Pouch for DPEYESET	41.96
DP400G	Steel gobo, size 'A'	46.83
DP400GC	Custom steel gobo 'A'	p.o.r.
DP400GG	High resolution glass gobo, size 'A'	p.o.r.
DP400GGC	Custom high resolution glass gobo, size 'A'	p.o.r.
DPGSET400	Gobo set, size 'A' (6 background pattern steel gobos)	298.79
DPACP400	Pouch for Series 400 gobos/iris/framing shutter blades	46.16
DFX400	Effect filter size 'A' for DP400 imager projection attachment	167.32
	11 textures (T1 - T11) and 8 different colors (P-purple / O-orange / R-red / M-magenta / Y-yellow / T-turquoise / LG-light green), LB-light blue (price different)	
	Sample: DFX400T9-M = Texture #9 in magenta. DFXH400 – Effect filter holder sold separately	

DFX400-LB	Effect filter size "M: - light blue; any texture	
DFX400H	Glass Effect Filter Holder Series 400 Size "A"	50.70

Filters

DGCOL4008	Gel filter set, color effect (fits new Series 400 barn door)	103.38
DGMB4008	Gel filter set, mixed blur (fits Series 400 barn door)	44.88
DGMD400	Gel filter set, mixed diffusion (fits Series 400 filter holder)	24.04
DGMD4008	Gel filter set, mixed diffusion (fits Series 400 barn door)	78.53
DGMO4008	Gel filter set, mixed orange (fits seies 400 barn door)	41.67
DGND4008	Gel filter set, neutral density (fits new Series 400 barn door)	52.89
DGW400	Gel filter set, warm tone (fits Series 400 filter holder)	29.65
DGW4008	Gel filter set, warm tone (fits Series 400 barn door)	113.79

DLED – Series 12

DLED12-Bi-DMX-U	Focusing DLED light head – Bi-colour, DMX	4,323.50
DLED12-D-DMX-U	Focusing LED light head – Daylight Studio DMX	3,017.78
DLED12-T-DMX-U	Focusing LED light head – Tungsten, DMX,	3,017.78
DCAB3A-SW-U	DLED12 extra mains cable – w. On/off switch - U-ground connector	115.40

Special handling required, call for details

Series 1200 Accessories

DBD1200R	Barn door series 1200 – rotatable doors	387.28
DPLS1200	Series 1200 light shield ring	p.o.r.
DLWA1200R	Series 1200 wide angle adapter w rotating barn doors	736.09
DP1200CON	Condenser 1200 for Lenses 150, 185,230	966.88
DP1200CON-WA	Wide angel Condenser for lenses 70, 100, 150	1,176.69
DP1200FS-WA	Framing shutter assembly for DP1200CON-WA	257.02
DP1200KFS	Complete imager with framing-shutter-blade module and 150mm projection lens. Fits SERIES 1200 and DLED12 focusing light heads.	1,754.54
DP1200KFS-WA	Complete wide-angle imager with framing-shutter-blade module and 70mm projection lens. Fits SERIES 1200 and DLED12 focusing light heads.	3,076.35
DP1200KU	Complete imager with universal module and 150mm projection lens. Fits SERIES 1200 and DLED12 focusing light heads.	2,073.38
DL1200KU-WA	Complete wide-angle imager with universal module and 70mm projection lens. Fits SERIES 1200 and DLED12 focusing light heads.	3,433.65
DP1200SHA-WA	Slide holder attachment for DP1200CON-WA	por
DP1200U-WA	Universal attachment for DP1200CON-WA	225.02

FELLONI

High Output

TP-LONI2-D50HO	Felloni2 Daylight 50 degree High Output	1,552.90
TP-LONI2-D30HO	Felloni2 Daylight 30 degree High Output	1,552.90
TP-LONI-T50HO	Felloni2 Tungsten 50 Degree High Output	1,552.90
TP-LONI-T30HO	Felloni2 Tungsten 30 Degree High Output	1,552.90
TP-LONI2-BI50HO	Felloni2 Bi-colour 50 degree High Output	1,552.90
TP-LONI2-BI30HO	Felloni2 Bi-colour 30 degree High Output	1,552.90

Felloni Accessories

TP-LONI-DIM-DMX	DMX Dimming Module – bi or D	169.60
TP-LONI-DIM-NC-Bi	Bicolour control module	84.80

TP-LONI-DIM-NC-D	Daylight control module	84.80
TP-LONI-DIF	Felloni Diffuser w. Velcro	10.60
TP-LONI-DIF-MAG	Felloni Diffuser w. Magnetic tabs	10.60
TP-LONI-MAG	Felloni Magnets – pair	10.60
TP-FPS	Felloni Power Supply	84.80
TP-LONI-SBX42	Felloni Soft Box w. Diffuser & Barn door	207.76
TP-LONI-SBXGrid	Felloni Soft Grid 40 degree	161.12
TP_LONI-HON30	Felloni Honeycomb 30 degree	91.16
TP-LONI-WR32	Felloni Wireless remote receiver	74.20
TP-LONI-WT32	Felloni Wireless remote transmitter	265.00
TP-LONI-BRKT	Felloni Bracket (not stand no knob)	25.44
TP-LONI-x2BR	Double hanging bracket – 2 Felloni	101.76
TP-LONI-x2SBX74	Double soft box	252.28
TP-LONI-GRID74	double Grid for TP-LONI-SBX74	241.68
TPSC1	Felloni Soft Case – 1 Fixture	250.16
TPSC3-0	Felloni Soft Case – 3 fixtures	402.80
TPSC-DST	Soft case for 3 x DST Stands	103.88
TP-LONI-CC	Control Cable	53.00
TP-PLAB	Felloni Anton Bauer Plate	31.80
TP-PSAB	Felloni Anton Bauer Power Supply	84.80
TP-PLVL	Felloni V-lock plate	31.80
TP-PSVL	Felloni V-lock Power Supply	84.80

Turbo Felloni

TP-TURO-BI	Turbo Felloni; 45 degree, bi-colour	2,101.87
TP-TURP-SBX	Turbo Felloni soft box	181.32

LED RAMA Series

DLRPKT-BI	Pocket Ledrama – Bi-colour	966.44
DLED RAMAS-D	LED RAMA Daylight LED Panel w electronics – 40cm x 40cm	3,975.91
DLED RAMAS-Bi	LED RAMA Bi-colour LED Panel – 40cm x 40cm	5,098.40
DLED RAMA-D	LED RAMA Daylight LED Panel w electronics – 80cm x 40cm	5,664.89
DLED RAMA-BI	LED RAMA Bi-colour LED Panel w electronics– 80cm x 40cm	8,497.33
DCAB3A-SW-U	Ledrama AC power cable w switch	115.40
DCAB3A-U	Ledrama AC power cable (without switch)	100.01
DPOW3XLR-SPEAK	28volt DC cable; 3 pin XLR to Speakon for Ledrama panels	133.67
DLED RAMA-SB	Ledrama soft box	961.63
DLED RAMA-HON	Ledrama honey comb	384.65
DLRM-BRK	Set of 4 honeycomb mounting brackets – Ledrama small or medium	295.22

Special handling required, call for details

Soft Cases

DBP	Backpack case	748.32
DBPS	Backpack Case – Small	718.60
DBPSLED	Backpack Case – Small w dividers for Felloni	718.60
DBPSW	Backpack Case – Small w wheels for Felloni	800.78
DSC1	Soft case, small	587.47
DSC2	Soft case, medium	695.87
DSC2W	Soft case medium w. Wheels	872.46

DSC400	Soft case (DLH400D, ballast)	671.39
DSCQ1	Soft Case DLED9	375.91
DSCLED2x2	Soft Case 2 x Felloni, 2 x DLED 4	374.16
DSCPA5	Soft case – SPA5DTT kit	753.57
DSC-SSTRAP	Replacement strap - DSC2 series	50.70
DSCM	Soft case, mono	163.48
DSCM2	Soft case, mono large	178.86
DSCS	Soft case small – 3 x DLED2 or DLED3	232.71
DSCST	Soft case for 3 series 400 stands	309.65
DSCST4	Soft bag for 4 DST stands	117.32
DSCSTM3	Soft bag for 3 DSTM stands	101.93
DSCXLW	Soft case, extra large w/ wheels	846.24

Lamps

coolamp	24 volt, 250 watt; GX5.3 socket	35.62
DL100	12 volt, 100 watt, blackened tip	12.30
DL100-NB	12 volt, 100 watt, clear	9.84
DL100-24	24 volt, 100 watt, blackened	33.61
DL100-24-NB	24 volt, 100 watt, non-blackened	31.97
DL150	24 volt, 150 watt, blackened tip	9.84
DL150-NB	24 volt, 150 watt, clear	8.20
DLBOX	Plastic lamp box	15.83
DL200DHR-NB	200 w metal halide (HMI) Lamp – daylight	384.65
DL200THR-NB	200 w metal halide lamp – tungsten	389.90
DL400HR-NB	400 w metal halide (HMI) 400/575 daylight	410.88
DL575THR-NB	Metal halide bulb 575 tungsten	562.99
DL1200DHR-NB	800/1200W daylight lamp, hot re-strike	443.60

DLED Kit Prices

DLED4/Felloni (2x1) 3 Light Kits Bi-colour Backpack

BLED2x1-BI-B-U	3 Light Kit - BICOLOR AC (BASIC) - 2x DLED4-BI, 1x FELLONI BI50HO LED panel with soft box & accessories AC only (90-264 V AC, u-ground), comes with DBPSLED backpack	7,026.03
BLED2x1-BI-S-U	3 Light Kit - BICOLOR AC (STANDARD) - 2x DLED4-BI / 1x FELLONI BI50HO LED panel with soft box, DP1.1 and accessories - AC (90-264 V AC, u-ground), comes with DBPSLED backpack	8,052.98
BLED2x1-D-B-U	3 Light Kit - DAYLIGHT AC (BASIC) - 2x DLED4-D, 1x FELLONI D50HO LED panel with soft box and accessories AC only (90-264 V AC, u-ground), comes with DBPSLED backpack	5,690.24
BLED2x1-D-S-U	3 Light Kit - DAYLIGHT AC (STANDARD) - 2x DLED4-D/ 1x FELLONI D50HO LED panel with soft box, DP1.1 and accessories - AC (90-264 V AC, u-ground), comes with DBPSLED backpack	6,629.27

DLED4/Felloni (2x1) 3 Light Kits Bi-colour Backpack w wheels

BWLED2x1-BI-B-U	3 Light Kit - BICOLOR AC (BASIC) - 2x DLED4-BI, 1x FELLONI BI50HO LED panel w soft box & accessories; AC (90-264V), U-ground; DBPSE Backpack w wheels	7,108.21
DWLED2x1-BI-S-U	3 Light Kit - BICOLOR AC (Standard) - 2x DLED4-BI, 1x FELLONI BI50HO LED panel w soft box, DP1.1 & accessories; AC (90-264V), U-ground; DBPSE Backpack w wheels	8,135.16
BWLED2x1-D-B-U	3 Light Kit - Daylight AC (Basic) - 2x DLED4-BI, 1x FELLONI D50HO LED panel w soft box & accessories; AC (90-264V), U-ground; DBPSE Backpack w wheels	5,772.41

DWLED2x1-D-S-U	3 Light Kit - BICOLOR AC (Standard) - 2x DLED4-BI, 1x FELLONI BI50HO LED panel w soft box, DP1.1 & accessories; AC (90-264V), U-ground; DBPSE Backpack w wheels	6,736.42
-----------------------	---	----------

KL Series LED Combination Kits

KLED2x1F-BI-S-U	3 Light Kit - BICOLOR AC (STANDARD) - 2x DLED4-BI / 1x FELLONI BI50HO LED panel with soft box, DP1.1 and accessories - AC (90-264 V AC, u-ground), comes with DCHDKA2 transport case	8,601.74
KLED2x1F-D-S-U	3 Light Kit - DAYLIGHT AC (STANDARD) - 2x DLED4-D/ 1x FELLONI D50HO LED panel with soft box, DP1.1 and accessories - AC (90-264 V AC, u-ground), comes with DBPSW backpack with transport wheels	7,265.94
KLED3-BI-U	3 Light DLED Kit - BICOLOR (STANDARD) - 3x DLED4-BI with soft box power supplies, DP1.1 and accessories - AC (90-264 V AC, u-ground)	8,925.82
KLED3-D-U	3 Light DLED Kit - DAYLIGHT (STANDARD) - 3x DLED4-D with soft box power supplies, DP1.1 and accessories - AC (90-264 V AC, u-ground)	6,922.13
KLED4-BI-U	4 Light DLED Kit - BICOLOR (STANDARD) - 4x DLED4-BI with soft box power supplies and accessories - AC (90-264 V AC, u-ground), comes with DCHDKA1 hard case	10,385.13
KLED4-D-U	4 Light DLED Kit - DAYLIGHT (STANDARD) - 4x DLED4-D with soft box power supplies and accessories - AC (90-264 V AC, u-ground), comes with DCHDKA1 hard case	7,713.54
KLT7-3-BI-U	Hard case kit with 3x DLED7 bicolor LED lights, soft boxes, DP1.1 and accessories; u-ground	11,201.14
KLT7-3-D-U	Hard case kit with 3x DLED7 daylight LED lights, soft boxes, DP1.1 and accessories; u-ground	8,589.00

DLED4/Felloni 4 Light Kits

SLED2x2-BI-B-U	4 Light Kit - BICOLOR AC (BASIC) - 2x DLED4-BI, 2x FELLONI BI50HO LED panel with soft box, DP1.1 & accessories AC only (90-264 V AC, u-ground), comes with new soft case. Stand bag kit with 4x DST is included.	9,519.03
SLED2x2-D-B-U	4 Light Kit - DAYLIGHT AC (BASIC) - 2x DLED4-D, 2x FELLONI D50HO LED panel with soft box, DP1.1 and accessories AC only (90-264 V AC, u-ground), comes with new soft case. Stand bag kit with 4x DST is included.	8,183.24

DLED4 – 3 Light Kits

SLED3-BI-B-U	3 Light DLED Kit - BICOLOR (BASIC) - 3x DLED4-BI with soft box and accessories AC only (90-264 V AC, u-ground), comes with DSC1/1-200 soft case	7,374.84
SLED3-D-B-U	3 Light DLED Kit - DAYLIGHT (BASIC) - 3x DLED4-D with soft box and accessories AC only (90-264 V AC, u-ground), comes with DSC1/1-200 soft case	5,371.15

DLED4 – 4 Light Kits

SLED4-BI-B-U	4 Light DLED Kit - BICOLOR (BASIC) - 4x DLED4-BI with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, u-ground), comes with DSC2/2-200 soft case	10,798.88
SLED4-D-B-U	4 Light DLED Kit - DAYLIGHT (BASIC) - 4x DLED4-D with 2x soft box, DP1.1 and accessories AC only (90-264 V AC, u-ground), comes with DSC2/2-200 soft case	8,127.29

DLED9 – 1 Light Kits

SLED9-BI-U	1 Light DLED9 Kit - BICOLOR - 1x DLED9-BI with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, u-ground cable	4,504.81
SLED9-D-U	1 Light DLED9 Kit - DAYLIGHT - 1x DLED9-D with AC & DC power supplies and accessories. Comes in DSCQ1 soft case. AC & DC (90-264 V AC, u-ground cable	3,209.23

Turbo 3 – 3 Light Kit

SLT3-3-BI-S	Soft case kit including 3x DLED3 focusing bicolor LED light heads, 2x soft boxes, DP1S imager, accessories and micro stands.	8,669.30
SLT3-3-D-S	Soft case kit including 3x DLED3 focusing daylight LED light heads, 2x soft boxes, DP1S imager, accessories, micro stands.	7,237.34

Micro Kits

SLEDM3x0Z-BI	3 Light Micro Kit - BICOLOR AC/DC - 3x DLED2-BI LED panels, soft box, batteries, DP1S and accessories, comes with DSCS soft case (with extra belt clips to combine DSCS with SDSTM3 stand kit)	6,346.52
SLEDM3x0Z-D	3 Light Micro Kit - DAYLIGHT AC/DC - 3x DLED2-D LED panels, soft box, batteries, DP1S and accessories, comes with DSCS soft case (with extra belt clips to combine DSCS with SDSTM3 stand kit)	5,968.86

Batteries are not CSA approved but are certified CE for use in Europe.